

376 liter tank in Syrafast 316



95 000 SEK /st exkl moms

Additional information: Food colours; Mobile frame, Aisi 304; 1 hand hole diameter 200 mm in the upper bottom (fixing screws of the hand hole cover incomplete); some residues of previous content

Volumetric volume (L): 376 L

Pressure in tank: pressure

Max. pressure (Bar): 4 Bar



Max. temperature (°C): 170 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 25 L

Max Overpressure: 4 Bar

Max. working temperature: 170 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 20

Internal diameter tank: 690 mm

Outer diameter tank: 750 mm

Total height of tank: 1.900 mm

SKU: 404366



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: insulated with heat-exchanger

Max. Service Temperature: 170 °C

Mobile Tank: No, it is not.

Övrig information: Food colors; Mobile frame, Aisi 304; 1 hand hole diameter 200 mm in the upper bottom (fixing screws of the hand hole cover incomplete); some residues of previous content; we can't give any

Additional Information2: guarantees about the heating/cooling jacket

Agitator: No

Overpressure: 4 bars

Complete Drainage: Yes

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 376

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Internal diameter: 690 mm

Total Height: 1.900 mm

Outer diameter: 750 mm



Mer

Heat Exchanger: RVS 304

Isolated: Yes