

3860 liter tank in Acid-proof 316



258 000 SEK /st exkl moms

Additional information: Pharmaceutical chemistry; Support ring, Fe; manhole cover incomplete (see photos); bump at the insulation jacket; manhole cover plated

Volumetric volume (L): 3.860 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3,20 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 136 L

Max Overpressure: 16 Bar

Max onderdruk: 1 Bar

Max. working temperature: 200 °C

Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Agitator: yes

Number of revolutions: 61

Power: 4

Top: 8,14 mm

Cylinder: 6 mm

Bottom: 5,17 mm

Internal diameter tank: 1.800 mm

Outer diameter tank: 2.090 mm

Total height of tank: 3.050 mm

SKU: 406649



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated with heat-exchanger

Max. Service Temperature: 200 °C

Mobile Tank: No, it is not.

Övrig information: Pharmaceutical chemistry; Support ring, Fe; Manhole cover incomplete (see photos) ; bump at the insulation jacket;manhole cover plated; we can't give any guarantees about the heating/cooling

Additional Information2: jacket; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 3,20 bar

Complete Drainage:

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 3860

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.



Material Overview

Material: Acid-resistant 316

Tank Dimensions

Internal diameter: 1.800 mm

Total Height: 3.050 mm

Outer diameter: 2,090 mm

Stirrer

Power (kW): 4

Speed (RPM): 61

Tjocklek på tank

Bottom: 5.17 mm

Cylinder: 6 mm

Top: 8,14 mm

Mer

Isolated: Yes