

39000 liters tank in Acid-proof 316



214 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: 3 compartments of each 13.000L

Volumetric volume (L): 39.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 6 adjustable feet

Manway(s): RVS 316

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 3

Position of manway: cylinder



Height manhole 1 (mm): 340 mm x H 420 mm

Outer diameter tank: 3.000 mm

Cylinder height: 5.250 mm

Total height of tank: 7.000 mm

Empty weight tank: 3.000

SKU: 488139

Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: 3 compartments of each 13.000L

Agitator: No

Tank Shape: cylindrical

Complete Drainage: Yes

Bottom Type: conical

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 39000



Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Fixing point(s): RVS 304

Tank Dimensions

Cylinder Height: 5.250 mm

Total Height: 7,000 mm

Outer diameter: 3,000 mm

Mer

Isolated: No

Weight: 3.000