

3963 liter tank in Acid-proof 316



75 000 SEK /st exkl moms

Additional information: plant extracts; A reduction with a ball valve to DN 32 is screwed onto the lower part of the double outlet DN 40

Volumetric volume (L): 3.963 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 95 °C



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: DN40 DIN 11851

Cylinder: 3 mm

Bottom: 3 mm

Internal diameter tank: 1.450 mm

Cylinder height: 2.250 mm

Total height of tank: 3.350 mm

SKU: 414929

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Max. Service Temperature: 95 °C

Mobile Tank: No, it is not.

Övrig information: plant extracts; A reduction with a ball valve to DN 32 is screwed onto the lower part of the double outlet DN 40

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 3963

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 2,250 mm

Internal diameter: 1.450 mm

Total Height: 3.350 mm

Tjocklek på tank

Bottom: 3 mm

Cylinder: 3 mm



Mer

Isolated: No