

400 liter tank in Acid-proof 316



187 000 SEK /st exkl moms

Additional information: Outlet fitting incomplete (see photos); technical documentation is available from the manufacturer and can be requested and purchased there

Volumetric volume (L): 400 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 165 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Max Overpressure: 4 Bar

Max onderdruk: 1 Bar

Max. working temperature: 165 °C

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: vorhanden

Agitator: yes

Number of revolutions: 377

Power: 0,55

Internal diameter tank: 770 mm

Outer diameter tank: 910 mm

Total height of tank: 1.830 mm

SKU: 400025



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: isolert med varmeveksler

Max. Service Temperature: 165 °C

Mobile Tank: No, it is not.

Övrig information: Pharmacy; Outlet fitting incomplete (see photos); Technical documentation is available from the manufacturer and can be requested and purchased there; we can't give any guarantees about the

Additional Information2: heating/cooling jacket; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 3 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 400

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316



Tank Dimensions

Internal diameter: 770 mm

Total Height: 1.830 mm

Outer diameter: 910 mm

Stirrer

Power (kW): 0,55

Speed (RPM): 377

Mer

Heat Exchanger: RVS 304

Isolated: Yes