

4000 liter tank in Acid-proof 316



69 000 SEK /st exkl moms

Additional information: Pharmacy; 1 welded stainless steel ring inside the tank (see photos); screws of the manhole cover are partly missing

Volumetric volume (L): 4.000 L

Pressure in tank: ATM - atmospheric

Max. pressure (Bar): 4 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 150 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Max Overpressure: 4 Bar

Max onderdruk: 1 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 32

Top: 5,40 mm

Cylinder: 5,10 mm

Bottom: 5,20 mm

Internal diameter tank: 1.590 mm

Cylinder height: 1.700 mm

Total height of tank: 3.150 mm

SKU: 481816



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Max. Service Temperature: 150 °C

Mobile Tank: No, it is not.

Övrig information: Pharmacy; 1 welded stainless steel ring inside the tank (see photos); screws of the manhole cover are partly missing

Agitator: No

Overpressure: 4 bars

Complete Drainage: No, it is not.

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 4000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1.700 mm

Internal diameter: 1.590 mm

Total Height: 3.150 mm

**Tjocklek på tank**

Bottom: 5,20 mm

Cylinder: 5,10 mm

Top: 5,40 mm

Mer

Isolated: No