

4000 liter tank in Acid-proof 316



90 000 SEK /st exkl moms

Additional information: Cone height approx. 1,350 mm; manhole diameter approx. 425 mm; 1 external pipe; ladder bracket pressed in (see photos)

Volumetric volume (L): 4.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 98

Agitator: yes

Number of revolutions: 27

Power: 5,50

Cylinder: 3 mm

Bottom: 3 mm

Internal diameter tank: 1.790 mm

Cylinder height: 1.000 mm

Total height of tank: 4.350 mm

SKU: 580121

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Food; Cone height approx. 1,350 mm; manhole diameter approx. 425 mm; 1 external pipe; ladder bracket pressed in (see photos); we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 4000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1.000 mm

Internal diameter: 1.790 mm

Total Height: 4.350 mm

Stirrer

Power (kW): 5,50

Speed (RPM): 27

**Tjocklek på tank**

Bottom: 3 mm

Cylinder: 3 mm

Mer

Isolated: No