

41300 liter tank in Acid-proof 316



288 000 SEK /st exkl moms

Additional information: Solvents; Cylinder manhole diameter: approx. 600 mm

Volumetric volume (L): 41.300 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 1 Bar



Min. pressure (Bar): 0,25 Bar

Max. temperature (°C): 100 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: DN100 DIN 11851

Top: 8 mm

Cylinder: 6 mm

Bottom: 8 mm

Internal diameter tank: 3.200 mm

Cylinder height: 4.370 mm

Total height of tank: 7.230 mm

SKU: 475819

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single-skin

Max. Service Temperature: 100 °C

Mobile Tank: No, it is not.

Övrig information: Solvents; Cylinder manhole diameter: approx. 600 mm

Agitator: No

Overpressure: 1 bar

Complete Drainage: Yes

Vacuum Pressure: 0,25 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 41300

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 4.370 mm

Internal diameter: 3.200 mm

Total Height: 7.230 mm



Tjocklek på tank

Bottom: 8 mm

Cylinder: 6 mm

Top: 8 mm

Mer

Isolated: No