


41700 liters tank in Stainless 304



369 000 SEK /st exkl moms

Additional information: The pressure tank has a heating/cooling jacket, but this is leaking in several places (see photos); defect heating jacket

Volumetric volume (L): 41.700 L

Pressure in tank: pressure

Max. pressure (Bar): 4 Bar

Min. pressure (Bar): 4 Bar

Max. temperature (°C): 165 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical



Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 1.170 L

Max Overpressure: 6 Bar

Max. working temperature: 165 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Agitator: yes

Internal diameter tank: 2.800 mm

Cylinder height: 5.098 mm

SKU: 570242

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single jacketed with heat-exchanger

Max. Service Temperature: 165 °C

Mobile Tank: No, it is not.

Övrig information: The pressure tank has a heating/cooling jacket, but this is leaking in several places (see photos); defect heating jacket; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 4 bars

Complete Drainage: Yes

Vacuum Pressure:

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 41700

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 5,098 mm

Internal diameter: 2,800 mm



Mer

Isolated: No