

4200 liter tank in Stainless 304



34 000 SEK /st exkl moms

Article type: second-hand storage tank

Volumetric volume (L): 4.200 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: conical



Shape of tank: cylindrical

Bottom type: flat sloping

Total discharge: yes

Fixation points: 4 adjustable feet

Manway(s): RVS 304

Fixation point(s): painted steel

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: headside

Height manhole 1 (mm): 450 mm

Tank outlet: inside Ø 65 mm

Outlet type: DIN11851

Top: 3 mm

Cylinder: 2,50 mm

Bottom: 3 mm

Distance from outlet to ground: 750 mm

Outer diameter tank: 1.850 mm

Cylinder height: 1.575 mm

Total height of tank: 2.700 mm

Empty weight tank: 400

SKU: 383024



Mer information

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank:
Configuration: single-skin
Mobile Tank: No, it is not.
Agitator: No
Tank Shape: cylindrical
Complete Drainage:
Bottom Type: flat slope
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 4200

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Tank Outlet: inside Ø 65 mm
Technical Drawing Available: No, it is not.
Outlet Type: DIN11851

Material Overview

Material: Stainless steel 304
Fixing point(s): painted steel

Tank Dimensions

Cylinder Height: 1.575 mm
Outlet Height to Ground: 750 mm
Total Height: 2,700 mm
Outer diameter: 1.850 mm



Tjocklek på tank

Bottom: 3 mm

Cylinder: 2,50 mm

Top: 3 mm

Mer

Isolated: No

Weight: 400