

## 42300 liters tank in Stainless 304



259 000 SEK /st exkl moms

**Additional information:** KZE-tank (fruit juice); Designed for specific weight 1,15 kg/dm<sup>3</sup> (at 0,99 bar) or specific weight 1,37 kg/dm<sup>3</sup> (pressureless); wall thickness cylinder: 1. & 2. cylinder section: 3,0 mm; rest cylinder: 2,5 mm; manhole 340 x 440 mm; cylinder outside marbled; 2 tanks with smaller dents

**Volumetric volume (L):** 42.300 L

**Pressure in tank:** pressure



**Max. pressure (Bar):** 0,99 Bar

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Max Overpressure:** 0,99 Bar

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** DN65 DIN 11851

**Top:** 3,50 mm

**Bottom:** 5 mm

**Internal diameter tank:** 2.600 mm

**Cylinder height:** 7.250 mm

**Total height of tank:** 8.750 mm

**SKU:** 393365

## Mer information



## Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: KZE-tank (fruit juice); Designed for specific weight 1,15 kg/dm<sup>3</sup> (at 0,99 bar) or specific weight 1,37 kg/dm<sup>3</sup> (pressureless); wall thickness cylinder: 1. & 2. cylinder section: 3,0 mm; rest

Additional Information2: cylinder: 2,5 mm; manhole 340 x 440 mm; cylinder outside marbled; 2 tanks with smaller dents

Agitator: No

Overpressure: 0,99 bar

Complete Drainage: Yes

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 42300

## Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

## Material Overview

Material: Stainless steel 304

## Tank Dimensions

Cylinder Height: 7.250 mm

Internal diameter: 2.600 mm

Total Height: 8.750 mm

**Tjocklek på tank**

Bottom: 5 mm

Top: 3,50 mm

**Mer**

Isolated: No