43000 liters tank in Stainless 304

208 000 SEK /st exkl moms

Additional information: fruit juice industry; Smaller dents in the cylinder; manhole appr. 355 x 450 mm
Volumetric volume (L): 43.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: no

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: DN50 DIN 11851
Top: 3 mm
Cylinder: 2,50 mm
Bottom: 5,10 mm
Internal diameter tank: 2.990 mm

Cylinder height: 5.950 mm
Total height of tank: 7.800 mm
Empty weight tank: 2.650

SKU: 409952

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank:
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: fruit juice industry; Smaller dents in the cylinder; manhole appr. 355 x 450 mm
Agitator: No
Complete Drainage: No, it is not.
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 43000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 5.950 mm
Internal diameter: 2,990 mm
Total Height: 7.800 mm

Tjocklek på tank

Bottom: 5,10 mm
Cylinder: 2,50 mm
Top: 3 mm

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer
Isolated: No
Weight: 2.650