

43000 liters tank in Stainless 304



213 000 SEK /st exkl moms

Additional information: fruit juice industry; manhole appr. 340 x 440 mm; Tank photos of identical tank that has already been sold; remaining tank with dents in the cylinder (see detailed photos)

Volumetric volume (L): 43.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN65 DIN 11851

Agitator: yes

Number of revolutions: 470 / 960

Power: 1.1 / 4.4

Internal diameter tank: 3.000 mm

Cylinder height: 5.950 mm

Total height of tank: 7.700 mm

SKU: 394049

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank:

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: fruit juice industry; manhole appr. 340 x 440 mm; Tank photos of identical tank that has already been sold; remaining tank with dents in the cylinder (see detailed photos); we can't give any

Additional Information2: guarantees about the agitator

Agitator: Yes

Complete Drainage:

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 43000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 5.950 mm

Internal diameter: 3,000 mm

Total Height: 7,700 mm

Stirrer

Power (kW): 1.1 / 4.4

Speed (RPM): 470 / 960



Mer

Isolated: No