

435 liter tank in Syrafast 316



101 000 SEK /st exkl moms

Additional information: 1 dent in the inner cylinder (overpressure double jacket; see photos)

Volumetric volume (L): 435 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 143 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 42 L

Max Overpressure: 2 Bar

Max. working temperature: 143 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Outlet of tank: 37

Internal diameter tank: 770 mm

Outer diameter tank: 940 mm

Cylinder height: 670 mm

Total height of tank: 1.650 mm

SKU: 429806



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated with heat-exchanger

Max. Service Temperature: 143 °C

Mobile Tank: No, it is not.

Övrig information: Pharmacy; 1 dent in the inner cylinder (overpressure double jacket; see photos); we can't give any guarantees about the heating/cooling jacket

Agitator: No

Overpressure: 3 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 435

Equipment

Product Dokument finns: No, it is not.

Agitator flange: Yes

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 670 mm

Internal diameter: 770 mm

Total Height: 1.650 mm

Outer diameter: 940 mm



Mer

Isolated: Yes