

44000 liters tank in Stainless 304



230 000 SEK /st exkl moms

Additional information: fruit juice industry; manhole appr. 350 x 450 mm

Volumetric volume (L): 44.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN50 DIN 11851

Agitator: yes

Number of revolutions: 720 / 1430

Power: 5.5 / 7.8

Internal diameter tank: 3.000 mm

Cylinder height: 5.950 mm

Total height of tank: 7.750 mm

Empty weight tank: 2.650

SKU: 393836

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank:

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: fruit juice industry; manhole appr. 350 x 450 mm; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage:

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 44000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 5.950 mm

Internal diameter: 3,000 mm

Total Height: 7.750 mm

Stirrer

Power (kW): 5.5 / 7.8

Speed (RPM): 720 / 1430



Mer

Isolated: No

Weight: 2.650
