44000 liters tank in Stainless 304

221 000 SEK /st exkl moms

Additional information: fruit juice industry; tank with smaller dents; manhole appr. 350 x 450 mm; second identical tank can potentially be made available upon request.
Volumetric volume (L): 44.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: DN50 DIN 11851
Agitator: yes
Number of revolutions: 17.5 / 36
Power: 5.0 / 7.8
Internal diameter tank: 3.000 mm

Cylinder height: 5.950 mm
Total height of tank: 8.100 mm
Empty weight tank: 4.000

SKU: 393977

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank:
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: fruit juice industry; tank with smaller dents; manhole appr. 350 x 450 mm; second identical tank can potentially be made available upon request; we can't give any guarantees about the agitator
Agitator: Yes
Complete Drainage:
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 44000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 5.950 mm
Internal diameter: 3,000 mm
Total Height: 8.100 mm

Stirrer

Power (kW): 5.0 / 7.8
Speed (RPM): 17.5 / 36

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Mer
Isolated: No
Weight: 4.000