

4450 liters tank in Stainless 304



156 000 SEK /st exkl moms

Article type: second-hand pressure tank

Additional information: Tank AD-2000 Merkblatt; hardly ever used

Volumetric volume (L): 4.450 L

Max. density P (kg/m³): 1.200

Pressure in tank: pressure

Max. pressure (Bar): 0,50 Bar

Max. temperature (°C): 90 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no



Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: dished

Total discharge: yes

Fixation points: 4 non adjustable feet

Manway(s): RVS 304

Fixation point(s): RVS 304

Suitable for food industry: no

Documents included: yes

Technical drawing included: yes

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 500 mm

Tank outlet: inside Ø 50 mm

Agitator: no

Top: 5 mm

Cylinder: 4 mm

Bottom: 5 mm

Outer diameter tank: 1.800 mm

Cylinder height: 1.585 mm

Total height of tank: 2.400 mm

Empty weight tank: 805

SKU: 417953



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Max. Service Temperature: 90 °C

Maximum Product Density: 1200

Mobile Tank: No, it is not.

Övrig information: Tank AD-2000 Merkblatt; hardly ever used

Agitator: No

Overpressure: 0,50 bar

Tank Shape: cylindrical

Complete Drainage: Yes

Bottom Type: dish

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 4450

Equipment

Product Dokument finns: Yes

Agitator flange: No

Nameplate: Yes

Tank Outlet: inside Ø 50 mm

Technical Drawing Available: Yes

Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304



Tank Dimensions

Cylinder Height: 1,585 mm

Total Height: 2,400 mm

Outer diameter: 1.800 mm

Tjocklek på tank

Bottom: 5 mm

Cylinder: 4 mm

Top: 5 mm

Mer

Isolated: No

Weight: 805