


46500 liter tank in Acid-proof 316



351 000 SEK /st exkl moms

Additional information: Solvents; Cylinder manhole diameter: 600 mm; total height as per drawing without feet

Volumetric volume (L): 46.500 L

Pressure in tank: pressure

Max. pressure (Bar): 1 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 25 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN100

Outer diameter tank: 2.560 mm

Cylinder height: 9.680 mm

Total height of tank: 10.620 mm

SKU: 476380

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: insulated

Max. Service Temperature: 25 °C

Mobile Tank: No, it is not.

Övrig information: Solvents; Cylinder manhole diameter: 600 mm; total height as per drawing without feet

Agitator: No

Overpressure: 1 bar

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 46500

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 9.680 mm

Total Height: 10.620 mm

Outer diameter: 2,560 mm



Mer

Isolated: Yes