

4800 liters tank in Stainless 304



337 000 SEK /st exkl moms

Additional information: Cosmetics; 1 flanged outlet reduction (end DN 50 DIN 11851); 1 pallet with accessories is included in the scope of delivery (see photos; these parts were not taken into account in the stated total height)

Volumetric volume (L): 4.800 L

Pressure in tank: ATM - atmospheric

Max. pressure (Bar): 3 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 150 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical



Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 220 L

Max Overpressure: 3 Bar

Max onderdruk: 1 Bar

Max. working temperature: 150 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: flange DN100

Number of revolutions: 1.450

Power: 15

Top: 7 mm

Cylinder: 11 mm

Bottom: 8,60 mm

Internal diameter tank: 1.800 mm

Outer diameter tank: 1.950 mm

Cylinder height: 1.400 mm

Total height of tank: 2.900 mm

SKU: 430949



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Max. Service Temperature: 150 °C

Mobile Tank: No, it is not.

Övrig information: Cosmetics; 1 flanged outlet reduction (end DN 50 DIN 11851); 1 pallet with accessories is included in the scope of delivery (see photos; these parts were not taken into account in the stated total

Additional Information2: height)

Agitator: No

Overpressure: 3 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 4800

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316



Tank Dimensions

Cylinder Height: 1.400 mm
Internal diameter: 1.800 mm
Total Height: 2,900 mm
Outer diameter: 1.950 mm

Stirrer

Power (kW): 15
Speed (RPM): 1.450

Tjocklek på tank

Bottom: 8,60 mm
Cylinder: 11 mm
Top: 7 mm

Mer

Heat Exchanger: RVS 304
Isolated: No