

## 500 liter tank in 304 stainless steel



16 000 SEK /st exkl moms

**Article type:** second-hand transport tank

**Volumetric volume (L):** 500 L

**Pressure in tank:** pressure

**Design pressure (Bar):** 1,43 Bar

**Max. pressure (Bar):** 0,50 Bar

**Min. pressure (Bar):** -0,15 Bar

**Max. temperature (°C):** 130 °C

**Min. temperature (°C):** -10 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical



**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** dished

**Shape of tank:** cylindrical

**Bottom type:** strong conical

**Total discharge:** yes

**Fixation points:** 4 stackable frame

**Manway(s):** RVS 304

**Valve:** RVS 304

**Fixation point(s):** RVS 304

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** at the top

**Tank outlet:** inside Ø 50 mm

**Outlet type:** DIN11851

**Total outlet valve:** yes

**Outer diameter tank:** 1.050 mm

**Cylinder height:** 470 mm

**Total height of tank:** 1.400 mm

**Empty weight tank:** 180

**SKU:** 572624



## Mer information

### Product Description

Food-grade: Yes  
Material: Stainless steel 304  
Model: Vertical  
New / Used: Used  
Operating Pressure in Tank: pressure  
Tank design pressure: 1.43 bar  
Configuration: single-skin  
Max. Service Temperature: 130 °C  
Min. Operating Temperature: -10 °C  
Mobile Tank: No, it is not.  
Agitator: No  
Overpressure: 0,50 bar  
Tank Shape: cylindrical  
Complete Drainage: Yes  
Bottom Type: strong conical  
Vacuum Pressure: -0,15 Bar  
Pressure Vessel: Yes  
Heating / Cooling: No  
Contact Surface: SS AISI 304 (V2A)  
Volume in liters: 500

### Equipment

Product Dokument finns: No, it is not.  
Agitator flange: No  
Nameplate: No, it is not.  
Food-grade: Yes  
Tank Outlet: inside Ø 50 mm  
Technical Drawing Available: No, it is not.  
Outlet Type: DIN11851  
Outlet Valve: Yes



## Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304

## Tank Dimensions

Cylinder Height: 470 mm

Total Height: 1.400 mm

Outer diameter: 1.050 mm

## Mer

Isolated: No

Weight: 180