

500 liter tank in Acid-proof 316



93 000 SEK /st exkl moms

Additional information: An inner double jacket was subsequently welded into the vessel by the previous operator, which reduced the volume indicated on the type plate to approx. 500 liters (see photos); unfortunately, we do not know to what extent the pressure and temperature specifications on the type plate are still valid as a result; total inner diameter of the tank approx. 900 mm, in the area of the inner double jacket approx. 760 mm; 1 hand hole diameter 150 mm in the upper bottom; outlet fitting no longer present;



pipe end cut flush

Volumetric volume (L): 500 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 42

Agitator: yes

Number of revolutions: 50 - 480

Outer diameter tank: 1.000 mm

Total height of tank: 2.300 mm

SKU: 404579

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: An internal double jacket was subsequently welded into the tank by the previous operator, which reduces the volume specified on the type plate to approx. 500 liters (see photos); Unfortunately, we

Additional Information2:

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 500

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Total Height: 2,300 mm

Outer diameter: 1.000 mm

Stirrer

Speed (RPM): 50 – 480



Mer

Isolated: Yes