

5000 liter tank in 304 stainless steel



83 000 SEK /st exkl moms

Article type: second-hand storage tank

Volumetric volume (L): 5.000 L

Max. density P (kg/m³): 1.500

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304L (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no



Top type: dished
Shape of tank: cylindrical
Bottom type: dished
Total discharge: yes
Fixation points: 4 non adjustable feet

Manway(s): RVS 304L
Gasket manway(s): unknown
Fixation point(s): RVS 304L
Suitable for food industry: no
Documents included: no

Technical drawing included: yes
Registration plate on the tank: no
Flange for agitator: no
Number of manways: 1
Position of manway: at the top

Tank outlet: inside Ø 50 mm
Agitator: no, optional
Top: 4 mm
Cylinder: 3 mm
Bottom: 4 mm

Internal diameter tank: 1.800 mm
Distance from outlet to ground: 290 mm
Outer diameter tank: 1.806 mm
Cylinder height: 2.000 mm
Total height of tank: 2.950 mm

Empty weight tank: 600

SKU: 437201



Mer information

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Maximum Product Density: 1500
Mobile Tank: No, it is not.
Agitator: No
Tank Shape: cylindrical
Complete Drainage: Yes
Bottom Type: dish
Heating / Cooling: No
Contact Surface: SS AISI 304L (V2A)
Volume in liters: 5000

Equipment

Product Dokument finns: No
Agitator flange: No
Nameplate: No, it is not.
Tank Outlet: inside Ø 50 mm
Technical Drawing Available: Yes

Material Overview

Material: Stainless steel 304
Fixing point(s): RVS 304L



Tank Dimensions

Cylinder Height: 2,000 mm

Internal diameter: 1.800 mm

Outlet Height to Ground: 290 mm

Total Height: 2,950 mm

Outer diameter: 1.806 mm

Tjocklek på tank

Bottom: 4 mm

Cylinder: 3 mm

Top: 4 mm

Mer

Isolated: No

Weight: 600