

5000 liter tank in 304 stainless steel



133 000 SEK /st exkl moms

Additional information: Dairy (cheese production); Double jacket with trickle ring - only suitable for cooling (pressure of 3.5 bar for cooling stated in the drawing - not stated on the name plate); Rectangular opening on top of the tank; some residues of previous content

Volumetric volume (L): 5.000 L

Pressure in tank: ATM - atmospheric



Material wet parts: SS AISI 304 (V2A)

Model: horizontal

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN100

Agitator: yes

Cylinder: 5 mm

Bottom: 4 mm

Internal diameter tank: 1.600 mm

Outer diameter tank: 1.700 mm

Total height of tank: 2.250 mm

Total outer length: 4.250 mm

SKU: 431534

Mer information



Product Description

Material: Stainless steel 304

Model: Horizontal

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single jacketed with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: Dairy (cheese production); Double jacket with trickle ring – only suitable for cooling (pressure of 3.5 bar for cooling stated in the drawing – not stated on the name plate);

Rectangular opening on

Additional Information2: top of the tank; some residues of previous content; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 5000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Internal diameter: 1.600 mm

Total Height: 2.250 mm

Outer diameter: 1.700 mm



Tjocklek på tank

Bottom: 4 mm

Cylinder: 5 mm

Mer

Isolated: No