

5000 liter tank in 304 stainless steel



83 000 SEK /st exkl moms

Article type: second-hand mixing tank

Additional information: we can't give any guarantees about the agitator

Volumetric volume (L): 5.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no



Shape of tank: cylindrical

Bottom type: dished

Total discharge: yes

Fixation points: 4 non adjustable feet

Fixation point(s): RVS 304

Wet parts agitator(s): SS AISI 304 (V2A)

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Tank outlet: inside Ø 80 mm

Agitator: yes

Power: 2,20

Voltage: three-phase

Distance from outlet to ground: 1.350 mm

Outer diameter tank: 1.900 mm

Cylinder height: 1.750 mm

Total height of tank: 4.400 mm

Empty weight tank: 900

SKU: 456215

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: we can't give any guarantees about the agitator

Agitator: Yes

Tank Shape: cylindrical

Complete Drainage: Yes

Bottom Type: dish

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 5000

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: No, it is not.

Tank Outlet: inside Ø 80 mm

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304

Material vätskeberörd del på omrörare: SS AISI 304 (V2A)

Tank Dimensions

Cylinder Height: 1.750 mm

Outlet Height to Ground: 1.350 mm

Total Height: 4,400 mm

Outer diameter: 1.900 mm



Stirrer

Power (kW): 2,20

Voltage: three-phase

Mer

Isolated: No

Weight: 900