

5000 liter tank in 304 stainless steel



83 000 SEK /st exkl moms

Article type: second-hand mixing tank

Additional information: heating mantle for "pressureless" bain-marie heating, 1 of the 2 tanks is missing 2 regulating feet, please look carefully at the photos; we can't give any guarantees about the agitator

Volumetric volume (L): 5.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no



Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 4 adjustable feet

Heat exchanger: RVS 304

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 400 mm

Tank outlet: inside Ø 50 mm

Agitator: yes

Agitator type: gate

Position engine: at the top

Power: 1,50

Voltage: three-phase

Internal diameter tank: 1.800 mm

Distance from outlet to ground: 350 mm

Outer diameter tank: 1.900 mm

Cylinder height: 2.000 mm

Total height of tank: 3.500 mm

Empty weight tank: 750

SKU: 456158



Mer information

Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank:

Configuration: single jacketed with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: heating mantle for "pressureless" bain-marie heating, 1 of the 2 tanks is missing 2 regulating feet, please look carefully at the photos; we can't give any guarantees about the agitator

Agitator: Yes

Tank Shape: cylindrical

Complete Drainage:

Bottom Type: conical

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 5000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Food-grade: Yes

Tank Outlet: inside Ø 50 mm

Technical Drawing Available: No, it is not.



Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304

Tank Dimensions

Cylinder Height: 2,000 mm

Internal diameter: 1.800 mm

Outlet Height to Ground: 350 mm

Total Height: 3.500 mm

Outer diameter: 1.900 mm

Stirrer

Power (kW): 1,50

Motor Position: at the top

Agitator Type: gate

Voltage: three-phase

Mer

Heat Exchanger: RVS 304

Isolated: No

Weight: 750