

5000 liter tank in 304 stainless steel



65 000 SEK /st exkl moms

Additional information: Detergents; Manhole cylinder approx. 310 x 440 mm; height-adjustable dome screws on the feet are no longer present; screwed-on plastic fitting on the spout (see photos); device for level indicator on the outside (no longer complete); some residues of previous content

Volumetric volume (L): 5.000 L

Pressure in tank: ATM - atmospheric



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: 50

Internal diameter tank: 1.580 mm

Cylinder height: 2.500 mm

Total height of tank: 3.650 mm

Empty weight tank: 750

SKU: 410579

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Detergents; Manhole cylinder appr. 310 x 440 mm; Height-adjustable screws of the feet are no longer available; screwed-on plastic fitting on the outlet (see photos); Device for level indicator

Additional Information2: outside (no longer complete); some residues of previous content

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 5000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 2.500 mm

Internal diameter: 1.580 mm

Total Height: 3.650 mm



Mer

Isolated: No

Weight: 750