5000 liter tank in 304 stainless steel

208 000 SEK /st exkl moms

Additional information: Food industry; Heating coil around the outside of the lower cylinder area; 3 of the feet are fitted with load cells (no guarantee of functionality); the load cell is missing on one foot; some residues of previous content
Volumetric volume (L): 5.000 L
Pressure in tank: pressure

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Material wet parts: SS AISI 316 (V4A)
Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Volume: 102 L
Max Overpressure: 4 Bar
Type HE on the cylinder: half pipe welded onto the outside of the innertank
Documents included: no
Technical drawing included: no

Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside
Outlet of tank: 48
Agitator: yes

Internal diameter tank: 1.600 mm
Outer diameter tank: 1.870 mm
Cylinder height: 2.150 mm
Total height of tank: 4.100 mm

SKU: 456050

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: insulated with heat-exchanger
Mobile Tank: No, it is not.
Övrig information: Food industry; Heating coil outside around the lower cylinder area; 3 of the feet are equipped with load cells (no guarantee of functionality); one foot is missing the load cell ; some residues of
Additional Information2: previous content; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator
Agitator: Yes
Complete Drainage: Yes
Heating / Cooling: Yes
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 5000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 2,150 mm
Internal diameter: 1.600 mm
Total Height: 4.100 mm
Outer diameter: 1.870 mm

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer
Isolated: Yes