

5000 liter tank in Acid-proof 316



76 000 SEK /st exkl moms

Additional information: Cosmetics; pipe end cut flush

Volumetric volume (L): 5.000 L

Pressure in tank: pressure

Max. pressure (Bar): 2 Bar



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 38

Top: 5,80 mm

Cylinder: 4,10 mm

Bottom: 5,20 mm

Internal diameter tank: 1.690 mm

Cylinder height: 2.250 mm

Total height of tank: 4.150 mm

SKU: 475201

Mer information



Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: Cosmetics; pipe end cut flush
Agitator: No
Overpressure: 2 bars
Complete Drainage: Yes
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 5000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 2,250 mm
Internal diameter: 1.690 mm
Total Height: 4.150 mm

Tjocklek på tank

Bottom: 5,20 mm
Cylinder: 4,10 mm
Top: 5,80 mm



Mer

Isolated: No