

50000 liter tank in Acid-proof 316



465 000 SEK /st exkl moms

item available on order

Article type: brand new storage tank - type TZN-SL

Volumetric volume (L): 50.000 L

Max. density P (kg/m³): 1.000

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 40 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin



Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: conical 15 °

Shape of tank: cylindrical

Bottom type: conical 20 °

Total discharge: yes

Fixation points: 6 non adjustable feet

Manway(s): RVS 316

Gasket manway(s): EPDM

Valve: RVS 316L

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 2

Position of manway: headside

Height manhole 1 (mm): 500 mm

Hinged lid: yes

Position 2nd manway: cylinder

Height manhole 2 (mm): 440 x 308 mm

Hinged lid: yes

CIP spray ball: no

Tank outlet: inside Ø 80 mm

Outlet type: DIN 11850

Total outlet valve: no, optional

Agitator: no

Top: 3 mm

Cylinder: 2,50 mm

Bottom: 4 mm

Distance from outlet to ground: 405 mm



Outer diameter tank: 3.000 mm

Cylinder height: 7.000 mm

Height of top: 443 mm

Height of bottom: 615 mm

Feet height: 945 mm

Total height of tank: 8.800 mm

Empty weight tank: 1.850

SKU: 374867

Mer information

Product Description

Food-grade: Yes

Material: Acid-resistant 316

Model: Vertical

New / Used: Newly manufactured

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Max. Service Temperature: 40 °C

Maximum Product Density: 1000

Mobile Tank: No, it is not.

Agitator: No

Tank Shape: cylindrical

Complete Drainage: Yes

Bottom Type: conical 20 °

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 50000



Equipment

Product Dokument finns: No
Agitator flange: No
Nameplate: No, it is not.
Food-grade: Yes
Tank Outlet: inside Ø 80 mm
Technical Drawing Available: No, it is not.
Outlet Type: DIN 11850

Material Overview

Material: Acid-resistant 316
Fixing point(s): RVS 304

Tank Dimensions

Cylinder Height: 7,000 mm
Height on legs: 945 mm
Outlet Height to Ground: 405 mm
Total Height: 8.800 mm
Outer diameter: 3,000 mm

Tjocklek på tank

Bottom: 4 mm
Cylinder: 2,50 mm
Top: 3 mm

Mer

Isolated: No
Weight: 1.850