

50000 liters tank in Stainless 304



492 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: the tanks were never used

Volumetric volume (L): 50.000 L

Pressure in tank: ATM - atmosferic



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 6 non adjustable feet

Manway(s): RVS 304

Gasket manway(s): unknown

Gasket shut-off valve (mat): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: cylinder

Total outlet valve: yes

Agitator: no, optional

Top: 2,50 mm

Cylinder: 3 mm

Bottom: 4 mm

Outer diameter tank: 3.000 mm

Cylinder height: 7.000 mm

Total outer length: 8.400 mm

SKU: 411833



Mer information

Product Description

Food-grade: Yes
Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: the tanks were never used
Agitator: No
Tank Shape: cylindrical
Complete Drainage: Yes
Bottom Type: conical
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 50000

Equipment

Product Dokument finns: No
Agitator flange: No
Nameplate: No, it is not.
Food-grade: Yes
Technical Drawing Available: No, it is not.
Outlet Valve: Yes

Material Overview

Material: Stainless steel 304
Fixing point(s): RVS 304



Tank Dimensions

Cylinder Height: 7,000 mm
Outer diameter: 3,000 mm

Tjocklek på tank

Bottom: 4 mm
Cylinder: 3 mm
Top: 2,50 mm

Mer

Isolated: No