

50000 liters tank in Stainless 304



267 000 SEK /st exkl moms

Additional information: food industry

Volumetric volume (L): 50.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: available

Agitator: yes

Number of revolutions: 465 / 965

Power: 1.3 / 6.2

Outer diameter tank: 3.400 mm

Cylinder height: 5.000 mm

Total height of tank: 7.100 mm

Empty weight tank: 3.500

SKU: 567158

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: food industry; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 50000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 5,000 mm

Total Height: 7.100 mm

Outer diameter: 3,400 mm

Stirrer

Power (kW): 1.3 / 6.2

Speed (RPM): 465 / 965



Mer

Isolated: No

Weight: 3.500
