


50000 liters tank in Stainless 304



193 000 SEK /st exkl moms

Additional information: Extensive repair in 2023 (with inspection sticker). Isolated cracks on outer weld seams in the area of the feet (no effect on the statics); insulation cut open in one area (see photos)

Volumetric volume (L): 50.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: available

Agitator: yes

Top: 3 mm

Bottom: 4 mm

Internal diameter tank: 3.000 mm

Cylinder height: 8.000 mm

SKU: 569630

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Mobile Tank: No, it is not.

Övrig information: Extensive repair in 2023 (with inspection sticker). Isolated cracks on outer weld seams in the area of the feet (no effect on the statics); insulation cut open in one area (see photos); we can't

Additional Information2: give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 50000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 8,000 mm

Internal diameter: 3,000 mm

Tjocklek på tank

Bottom: 4 mm

Top: 3 mm



Mer

Isolated: Yes