

50000 liters tank in Stainless 304



294 000 SEK /st exkl moms

Additional information: Milk tank; Insulating jacket with smaller dents and sheet metal cutouts (2 of these sheets are still available and are included in the scope of delivery); pipe end cut flush

Volumetric volume (L): 50.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 80

Agitator: yes

Number of revolutions: 950

Internal diameter tank: 2.880 mm

Outer diameter tank: 3.000 mm

Total height of tank: 9.350 mm

SKU: 431078

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Mobile Tank: No, it is not.

Övrig information: Milk tank; Insulating jacket with smaller dents and sheet metal cutouts (2 of these sheets are still available and are included in the scope of delivery); pipe end cut flush; we can't give any

Additional Information2: guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 50000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Internal diameter: 2.880 mm

Total Height: 9.350 mm

Outer diameter: 3,000 mm

Stirrer

Speed (RPM): 950

Mer

Isolated: Yes