

523 liter tank in Stainless 304



45 000 SEK /st exkl moms

item available on order

Article type: brand new transport tank - type IBC-PL

Additional information: We can take more containers in production for you.

Volumetric volume (L): 523 L

Max. density P (kg/m³): 1.900

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no



Insulation: no

Mobile tank: yes

Top type: dished

Shape of tank: square

Bottom type: dished

Total discharge: yes

Fixation points: 4 non adjustable feet

Fixation point(s): plastic

Suitable for food industry: yes

Documents included: yes, optional

Technical drawing included: yes

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: at the top

Height manhole 1 (mm): 400 mm

CIP spray ball: no

Total outlet valve: yes

Agitator: no, optional

Top: 1,50 mm

Cylinder: 1,50 mm

Bottom: 1,50 mm

Total height of tank: 980 mm

Empty weight tank: 600

SKU: 374612



Mer information

Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Newly manufactured

Configuration: single-skin

Maximum Product Density: 1900

Mobile Tank: Yes

Övrig information: We can take more containers in production for you.

Agitator: No

Tank Shape: square

Complete Drainage:

Bottom Type: dish

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 523

Equipment

Agitator flange: No

Nameplate: Yes

Food-grade: Yes

Technical Drawing Available: Yes

Outlet Valve: Yes

Material Overview

Material: Stainless steel 304

Fixing point(s): plastic

Tank Dimensions

Total Height: 980 mm

**Tjocklek på tank**

Bottom: 1,50 mm

Cylinder: 1,50 mm

Top: 1,50 mm

Mer

Isolated: No

Weight: 600