

524 liter tank in Acid-proof 316



31 000 SEK /st exkl moms

Additional information: pharmacy; Filling pipe inside the tank (see pictures)

Volumetric volume (L): 524 L

Pressure in tank: pressure

Max. pressure (Bar): 3 Bar



Max. temperature (°C): 200 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: clamp

Cylinder: 4 mm

Bottom: 5,90 mm

Internal diameter tank: 890 mm

Cylinder height: 550 mm

Total height of tank: 1.410 mm

SKU: 480912

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Max. Service Temperature: 200 °C

Mobile Tank: No, it is not.

Övrig information: pharmacy; Filling pipe inside the tank (see pictures)

Agitator: No

Overpressure: 3 bars

Complete Drainage: Yes

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 524

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 550 mm

Internal diameter: 890 mm

Total Height: 1.410 mm

Tjocklek på tank

Bottom: 5,90 mm

Cylinder: 4 mm



Mer

Isolated: No