

## 530 liter tank in Acid-proof 316



168 000 SEK /st exkl moms

**Additional information:** Original drawing available; vessel was modified in 1997 (e.g. modification of feet or connections); proof of subsequent pressure test available; modification drawing only available as fax; 1 immersion pipe inside the vessel; some residues of previous content

**Volumetric volume (L):** 530 L

**Pressure in tank:** pressure and vacuum



**Max. pressure (Bar):** 3 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 143 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 70 L

**Max Overpressure:** 3 Bar

**Max. working temperature:** 143 °C

**Type HE on the bottom:** heating/cooling jacket

**Type HE on the cylinder:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** DN80 DIN 11851

**Agitator:** yes

**Number of revolutions:** 670

**Power:** 0,55

**Cylinder:** 5 mm

**Bottom:** 5 mm

**Internal diameter tank:** 800 mm

**Outer diameter tank:** 900 mm

**Cylinder height:** 900 mm

**Total height of tank:** 2.250 mm

**SKU:** 434015



## Mer information

### Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated with heat-exchanger

Max. Service Temperature: 143 °C

Mobile Tank: No, it is not.

Övrig information: Pharmacy; Original drawing available; tank was rebuilt in 1997 (e.g. changing the feet or connections); Evidence of the subsequent pressure test available; Conversion drawing only available as a

Additional Information2: fax; 1 dip tube inside the tank; some residues of previous content; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 3 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 530

### Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.



## Material Overview

Material: Acid-resistant 316

## Tank Dimensions

Cylinder Height: 900 mm

Internal diameter: 800 mm

Total Height: 2.250 mm

Outer diameter: 900 mm

## Stirrer

Power (kW): 0,55

Speed (RPM): 670

## Tjocklek på tank

Bottom: 5 mm

Cylinder: 5 mm

## Mer

Isolated: Yes