

## 536 liter tank in Acid-proof 316



53 000 SEK /st exkl moms

**Additional information:** Manhole DN 450; outlet flange DN 15; crane lugs cut off

**Volumetric volume (L):** 536 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 6 Bar



**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 130 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** available

**Cylinder:** 5 mm

**Bottom:** 5 mm

**Internal diameter tank:** 800 mm

**Cylinder height:** 850 mm

**Total height of tank:** 2.020 mm

**SKU:** 570170

## Mer information



## Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single-skin

Max. Service Temperature: 130 °C

Mobile Tank: No, it is not.

Övrig information: Pharmacy; Manhole DN 450; outlet flange DN 15; crane lugs cut off

Agitator: No

Overpressure: 6 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 536

## Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

## Material Overview

Material: Acid-resistant 316

## Tank Dimensions

Cylinder Height: 850 mm

Internal diameter: 800 mm

Total Height: 2,020 mm



## **Tjocklek på tank**

Bottom: 5 mm

Cylinder: 5 mm

## **Mer**

Isolated: No