

5380 liter tank in Acid-proof 316



101 000 SEK /st exkl moms

Volumetric volume (L): 5.380 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3,50 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Position of manway: headside

Outlet of tank: flange

Top: 6 mm

Cylinder: 8 mm

Bottom: 8 mm

Internal diameter tank: 1.794 mm

Cylinder height: 1.600 mm

Total height of tank: 3.140 mm

Empty weight tank: 1.200

SKU: 488019

Mer information



Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure and vacuum
Configuration: single-skin
Max. Service Temperature: 200 °C
Mobile Tank: No, it is not.
Agitator: No
Overpressure: 3,50 bar
Complete Drainage: Yes
Vacuum Pressure: 1 bar
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 5380

Equipment

Product Dokument finns: No, it is not.
Agitator flange: Yes
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1.600 mm
Internal diameter: 1.794 mm
Total Height: 3.140 mm

**Tjocklek på tank**

Bottom: 8 mm

Cylinder: 8 mm

Top: 6 mm

Mer

Isolated: No

Weight: 1.200