5400 liters tank in Stainless 304

57 000 SEK /st exkl moms

Additional information: detergents; manhole appr. 325 x 415 mm; former connections were partly welded shut by the former operator; some residues of previous content
Volumetric volume (L): 5.400 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: DN50 DIN 11851
Internal diameter tank: 1.490 mm
Cylinder height: 2.900 mm
Total height of tank: 4.200 mm

SKU: 393686

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: detergents; manhole appr. 325 x 415 mm; former connections were partly welded shut by the former operator; some residues of previous content
Agitator: No
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 5400

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 2,900 mm
Internal diameter: 1.490 mm
Total Height: 4.200 mm

Mer

Isolated: No

Rodervägen 57
891 78 Bonässund
info@processoverskott.se