

5450 liter tank in Acid-proof 316



117 000 SEK /st exkl moms

Additional information: Pharmaceutical Chemistry; Manhole DN 500; 1 welded ring made of stainless steel inside the upper bottom (see photos); manhole cover plated

Volumetric volume (L): 5.450 L

Pressure in tank: ATM - atmospheric

Max. pressure (Bar): 3,20 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Max Overpressure: 3,20 Bar

Max onderdruk: 1 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: flange DN80

Cylinder: 8 mm

Bottom: 5,20 mm

Internal diameter tank: 1.800 mm

Cylinder height: 1.670 mm

Total height of tank: 3.400 mm

SKU: 419123



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Max. Service Temperature: 200 °C

Mobile Tank: No, it is not.

Övrig information: Pharmaceutical Chemistry; Manhole DN 500; 1 welded ring made of stainless steel inside the upper bottom (see photos); manhole cover plated

Agitator: No

Overpressure: 3,20 bar

Complete Drainage: No, it is not.

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 5450

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1.670 mm

Internal diameter: 1.800 mm

Total Height: 3,400 mm

**Tjocklek på tank**

Bottom: 5,20 mm

Cylinder: 8 mm

Mer

Isolated: No