

5462 liter tank in Acid-proof 316



64 000 SEK /st exkl moms

Additional information: lukewarm water; manhole diameter: approx. 500 mm; Slight metallic discoloration inside the tank; some residues of previous content

Volumetric volume (L): 5.462 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 45 °C



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 80

Internal diameter tank: 1.494 mm

Outer diameter tank: 1.600 mm

Cylinder height: 2.920 mm

Total height of tank: 4.120 mm

Total outer width: 2.000 mm

SKU: 424331

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Max. Service Temperature: 45 °C

Mobile Tank: No, it is not.

Övrig information: lukewarm water; manhole diameter: approx. 500 mm; Slight metallic discoloration inside the tank; some residues of previous content

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 5462

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 2,920 mm

Internal diameter: 1.494 mm

Total Height: 4.120 mm

Outer diameter: 1.600 mm

Mer

Isolated: Yes

