

5500 liter tank in Acid-proof 316



277 000 SEK /st exkl moms

Additional information: Saline solution; Dents in the insulating jacket possible; the production and documentation drawings are available from the manufacturer and can be purchased separately; some residues of previous content; pipe end cut flush

Volumetric volume (L): 5.500 L

Pressure in tank: pressure and vacuum



Max. pressure (Bar): 2,50 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 140 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 154 L

Max Overpressure: 2,50 Bar

Max onderdruk: 1 Bar

Max. working temperature: 140 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 38

Agitator: yes

Number of revolutions: 429

Power: 2,20

Internal diameter tank: 1.680 mm

Outer diameter tank: 1.890 mm

Total height of tank: 3.500 mm

SKU: 402836



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated with heat-exchanger

Max. Service Temperature: 140 °C

Mobile Tank: No, it is not.

Övrig information: Saline solution; Dents in the insulation jacket possible; The production and documentation drawings are available from the manufacturer and can be purchased separately from there ; some residues of

Additional Information2: previous content; pipe end cut flush; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 2,50 bar

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 5500

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.



Material Overview

Material: Acid-resistant 316

Tank Dimensions

Internal diameter: 1.680 mm

Total Height: 3.500 mm

Outer diameter: 1.890 mm

Stirrer

Power (kW): 2,20

Speed (RPM): 429

Mer

Heat Exchanger: RVS 304

Isolated: Yes