

5520 liters tank in Stainless 304



69 000 SEK /st exkl moms

Additional information: Manhole diameter 450 mm (suspension of the manhole cover incomplete); some residues of previous content; pipe end cut flush; Metallic discolouration inside

Volumetric volume (L): 5.520 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Internal diameter tank: 1.790 mm

Cylinder height: 2.000 mm

Total height of tank: 4.050 mm

SKU: 397526

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Dairy; Manhole diameter 450 mm (suspension of the manhole cover incomplete); some residues of previous content; pipe end cut flush; Metallic discolouration inside

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 5520

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 2,000 mm

Internal diameter: 1.790 mm

Total Height: 4.050 mm

Mer

Isolated: No