

5600 liter tank in Stainless 304



240 000 SEK /st exkl moms

Additional information: Flanged to the outlet 1 reduction to diameter 65 mm; 1 immersion pipe inside the vessel; 1 pallet with accessories (foot pedestals, fittings etc.) is included in the scope of delivery; these accessories have not been taken into account in the total height stated

Volumetric volume (L): 5.600 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 150 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical



Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 250 L

Max Overpressure: 3 Bar

Max. working temperature: 150 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Position of manway: headside

Outlet of tank: 100

Internal diameter tank: 1.880 mm

Outer diameter tank: 2.050 mm

Cylinder height: 1.500 mm

Total height of tank: 3.000 mm

SKU: 430649

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated with heat-exchanger

Max. Service Temperature: 150 °C

Mobile Tank: No, it is not.

Övrig information: Cosmetics; Flanged to the outlet 1 reduction to diameter 65 mm; 1 dip tube inside the tank; 1 pallet with accessories (foot platforms, fittings, etc.) is included in the scope of delivery; these

Additional Information2: accessories were not taken into account in the stated total height; we can't give any guarantees about the heating/cooling jacket

Agitator: No

Overpressure: 3 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 5600

Equipment

Product Dokument finns: No, it is not.

Agitator flange: Yes

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316



Tank Dimensions

Cylinder Height: 1,500 mm
Internal diameter: 1,880 mm
Total Height: 3,000 mm
Outer diameter: 2,050 mm

Mer

Heat Exchanger: RVS 304
Isolated: Yes