

568 liter tank in Syrafast 316



110 000 SEK /st exkl moms

Article type: second-hand pressure tank

Additional information: Pharmacy; scratches inside

Volumetric volume (L): 568 L

Pressure in tank: pressure and vacuum



Max. pressure (Bar): 2 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 134 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 108 L

Max Overpressure: 2 Bar

Max onderdruk: 1 Bar

Max. working temperature: 134 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Outlet of tank: 23

Internal diameter tank: 810 mm

Outer diameter tank: 900 mm

Cylinder height: 850 mm

Total height of tank: 1.830 mm

Empty weight tank: 750

SKU: 402332



Mer information

Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure and vacuum
Configuration: single jacketed with heat-exchanger
Max. Service Temperature: 134 °C
Mobile Tank: No, it is not.
Övrig information: Pharmacy; scratches inside
Agitator: No
Overpressure: 2 bars
Complete Drainage: Yes
Vacuum Pressure: 1 bar
Pressure Vessel: Yes
Heating / Cooling: Yes
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 568

Equipment

Product Dokument finns: No, it is not.
Agitator flange: Yes
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316



Tank Dimensions

Cylinder Height: 850 mm
Internal diameter: 810 mm
Total Height: 1.830 mm
Outer diameter: 900 mm

Mer

Isolated: No
Weight: 750