5700 liter tank in Stainless 304

97 000 SEK /st exkl moms

Additional information: Spirits; Adhesions and metallic discoloration inside the tank
Volumetric volume (L): 5.700 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: no

Volume: 103 L
Max Overpressure: 4 Bar
Max. working temperature: 90 °C
Documents included: no
Technical drawing included: no

Registration plate on the tank: no
Flange for agitator: no
Position of manway: in the bottom
Outlet of tank: 50
Internal diameter tank: 1.690 mm

Outer diameter tank: 1.850 mm
Cylinder height: 2.400 mm
Total height of tank: 3.850 mm

SKU: 401087

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: Spirits; Adhesions and metallic discoloration inside the tank
Agitator: No
Complete Drainage: No, it is not.
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 5700

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 2,400 mm
Internal diameter: 1.690 mm
Total Height: 3.850 mm
Outer diameter: 1.850 mm

Mer

Isolated: No

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor