

5800 liters tank in Stainless 304



47 000 SEK /st exkl moms

Article type: second-hand pressure tank

Additional information: small dents on the back --> take a good look at the photos

Volumetric volume (L): 5.800 L

Pressure in tank: pressure

Max. pressure (Bar): 0,49 Bar

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no



Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: dished

Total discharge: yes

Fixation points: 4 non adjustable feet

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): painted steel

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: cylinder

Height manhole 1 (mm): 400 mm x H 300 mm

Tank outlet: inside Ø 50 mm

Outlet type: DIN11851 female

Agitator: no, optional

Top: 3 mm

Cylinder: 3 mm

Bottom: 4 mm

Distance from outlet to ground: 120 mm

Outer diameter tank: 1.910 mm

Cylinder height: 2.000 mm

Total height of tank: 2.950 mm

Empty weight tank: 800

SKU: 384923



Mer information

Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: small dents on the back -> take a good look at the photos

Agitator: No

Overpressure: 0,49 bar

Tank Shape: cylindrical

Complete Drainage: Yes

Bottom Type: dish

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 5800

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: No, it is not.

Food-grade: Yes

Tank Outlet: inside Ø 50 mm

Technical Drawing Available: No, it is not.

Outlet Type: DIN11851 female

Material Overview

Material: Stainless steel 304

Fixing point(s): painted steel



Tank Dimensions

Cylinder Height: 2,000 mm

Outlet Height to Ground: 120 mm

Total Height: 2,950 mm

Outer diameter: 1.910 mm

Tjocklek på tank

Bottom: 4 mm

Cylinder: 3 mm

Top: 3 mm

Mer

Isolated: No

Weight: 800