

600 liter tank in 304 stainless steel



157 000 SEK /st exkl moms

Additional information: Food industry; A ploughshare mixer is an industrial system that is used for the homogeneous mixing of solids, liquids or pasty materials. Special ploughshares rotate in the mixing container and create a turbulent flow, which distributes the mixing components evenly. These mixers can be used in a variety of applications, for example in the food, chemical or construction industries, and are particularly suitable for mixing powders, granulates or pasty masses.

Volumetric volume (L): 600 L



Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: no

Max Overpressure: 0,50 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of revolutions: 1.465

Power: 22

Total height of tank: 1.080 mm

Total outer width: 1.150 mm

Total outer length: 3.600 mm

SKU: 463380

Mer information



Product Description

Material: Stainless steel 304

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single jacketed with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: Food industry; A ploughshare mixer is an industrial system that is used for the homogeneous mixing of solids, liquids or pasty materials. Special ploughshares rotate in the mixing container and

Agitator: No

Complete Drainage: No, it is not.

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 600

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Total Height: 1,080 mm

Stirrer

Power (kW): 22

Speed (RPM): 1.465

Mer

Isolated: No

