

600 liter tank in 304 stainless steel



30 000 SEK /st exkl moms

Additional information: Pharmacy; 4 support brackets, Aisi 304 (currently temporarily screwed onto 4 wooden beams); 1 circular opening in the tank lid (see photos)

Volumetric volume (L): 600 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: DN32 DIN 11851

Agitator: yes

Number of revolutions: 350 - 1750

Power: 1

Internal diameter tank: 790 mm

Cylinder height: 1,220 mm

Total height of tank: 2.420 mm

SKU: 481648

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Pharmacy; 4 support brackets, Aisi 304 (currently temporarily screwed onto 4 wooden beams); 1 circular opening in the tank lid (see photos); we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 600

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1.220 mm

Internal diameter: 790 mm

Total Height: 2,420 mm

Stirrer

Power (kW): 1

Speed (RPM): 350 – 1750



Mer

Isolated: No