

600 liter tank in 304 stainless steel



74 000 SEK /st exkl moms

Additional information: Frame, stainless steel 304; including control unit (for steam sterilization and pressure superimposition; see photos)

Volumetric volume (L): 600 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Agitator: yes

Number of revolutions: 900

Power: 0,25

Top: 3 mm

Cylinder: 3,10 mm

Internal diameter tank: 850 mm

Outer diameter tank: 1.050 mm

Total height of tank: 2.000 mm

SKU: 564139



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: Pharmacy; Frame, stainless steel 304; including control unit (for steam sterilization and pressure superimposition; see photos); we can't give any guarantees about the heating/cooling jacket; we

Additional Information2: can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 600

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Internal diameter: 850 mm

Total Height: 2,000 mm

Outer diameter: 1.050 mm



Stirrer

Power (kW): 0,25

Speed (RPM): 900

Tjocklek på tank

Cylinder: 3,10 mm

Top: 3 mm

Mer

Isolated: Yes